

Table of Contents

1	Introduction	6
2	Model Development and Calibration	8
2.1	Model Update	8
2.2	Model Calibration	10
2.2.1	Data Collection	10
2.2.2	Rainfall Data Review and Summary	10
2.2.3	Flow Monitoring Data Review and Summary	11
2.3	Equalization Storage Facilities	14
2.3.1	Laguna Treatment Plant	16
2.3.2	Sewershed Characterization	17
2.3.3	Dry Weather Flow Development	17
2.3.4	Wet Weather Flow Development	18
2.3.5	Calibration Procedures and Guidelines	19
2.4	Dry Weather Calibration Results	21
2.5	Wet Weather Calibration Results	26
2.6	Model Application and Limitations	30
3	Future Model Development	31
3.1	Future Population Projections	31
3.2	Future Flow Allocation	35
3.3	Baseline Future Model Development	37
4	Level of Control Selection	43
4.1	Design Storm Development	43
4.2	Storm Duration Sensitivity Analysis	43
4.3	System Characterization	45

4.4	Regional Level of Control Comparison	55
4.5	Level of Service Recommendation	57
5	Alternative Evaluation	59
5.1	Alternative Technology Selection	59
5.1.1	Conveyance	59
5.1.2	Storage	60
5.2	Recommended Alternative	61
5.2.1	Conveyance Upgrades	61
5.2.2	Storage Evaluation	64
5.3	Alternative Costs	66
5.3.1	Unit Cost Development	66
5.3.2	Total Cost of System Upgrades	67
6	Capital Improvement Plan Update	69
6.1	Prioritization Approach	69
6.1.1	Existing CIP Comparison	69
6.2	Prioritized CIP	69

Appendicies

- A Diurnal Patterns Used for Calibration
- B Dry Weather Flow Calibration Results
- C Wet Weather Flow Calibration Results
- D Recommended Pipe Upgrades

Tables

Table 2-1: Skeletal vs Expanded Model Comparison	8
Table 2-2: Expanded Model Hydrologic Summary	10
Table 2-3: Dry Weather Flow Statistics	12
Table 2-4: Observed Wet Weather Flows for the Calibration Events	13
Table 2-5: Calibration Events Summary for Rain Gauge "Public Works"	20
Table 2-6: Suggested Calibration Guidelines	21
Table 2-7: Final Calibrated Groundwater Infiltration Flow	25
Table 3-1: Projected 2035 Population and Employment for the City of Santa Rosa	31
Table 3-2: Projected 2035 Flows for the City of Santa Rosa	36
Table 3-3: Projected 2035 Flows for Outside Community Contributors to the LTP	37
Table 4-1: Sensitivity Analysis Characterization	45

Table 4-2: Existing System Characterization	46
Table 4-3: Future Conditions System Characterization	46
Table 4-4: Comparison of Utility Levels of Control for California	56
Table 5-1: Summary of Conveyance Upgrades by Length and Diameter	62
Table 5-2: Emergency Storage (Pond 1) Utilization after Upgrades	64
Table 5-3: Peak Flow and Total Volume Delivered to WCSF for Existing Conditions	65
Table 5-4: Maximum Flows By WCSF for Future Conditions	65
Table 5-5: Length of Conduit Upsized	66
Table 5-6: Unit Costs	67
Table 5-7: Order of Magnitude Costs	68
Table 6-1: Prioritized CIP	72

Figures

Figure 2-1: Expanded Model Extents	9
Figure 2-2: Rainfall Return Periods for the Calibration Storm Events	11
Figure 2-3: West College Storage Facility	15
Figure 2-4: Modeled Dry Weather Diurnal Pattern	18
Figure 2-5: Dry Weather Flow Calibration Results	22
Figure 2-6: Dry Weather Depth Calibration Results	22
Figure 2-7: Modeled vs Observed Peak Flow for Dry Weather Flow Calibration	23
Figure 2-8: Modeled vs Observed Peak Depth for Dry Weather Flow Calibration	24
Figure 2-9: Modeled vs Observed Total Volume for Dry Weather Flow Calibration	24
Figure 2-10: Wet Weather Flow Calibration Results for Meter 1010 (1/3/2008)	26
Figure 2-11: Wet Weather Depth Calibration Results for Meter 1010 (1/3/2008)	27
Figure 2-12: Modeled vs. Observed Peak Flow Rates for Each Meter	28
Figure 2-13: Modeled vs. Observed Peak Depth Rates for Each Meter	28
Figure 2-14: Modeled vs. Observed Peak Flow Rates for Each Meter	29
Figure 3-1: Current Population Distribution	32
Figure 3-2: Future Population Distribution	33
Figure 3-3: Population Distribution Increase	34
Figure 3-4: Current Sanitary Flows	38
Figure 3-5: Future Sanitary Flows	39
Figure 3-6: Increase in Sanitary Flows	40
Figure 4-1: IDF Curves for Santa Rosa	44
Figure 4-2: 6, 12, 24 hour Atlas 14 Distribution	44
Figure 4-3: 2 Year Storm Existing System Characterization	47
Figure 4-4: 5 Year Storm Existing System Characterization	48
Figure 4-5: 10 Year Storm Existing System Characterization	49
Figure 4-6: 25 Year Storm Existing System Characterization	50
Figure 4-7: 2 Year Storm Future System Characterization	51
Figure 4-8: 5 Year Storm Future System Characterization	52
Figure 4-9: 10 Year Storm Future System Characterization	53
Figure 4-10: 25 Year Storm Future System Characterization	54
Figure 4-11: Comparison of Future Condition System Characterization	55
Figure 5-1: Conduit Upsizing to meet LOS	63
Figure 6-1: Prioritized Areas	70
Figure 6-2: Recommended Prioritization	74



This page was intentionally left blank.