

ELNOKA CCRC
SANTA ROSA
ARBORIST'S REPORT

May 19, 2017

Prepared & Submitted for OSL By:

Becky Duckles, ISA Certified Arborist #WE-0796A
8876 Occidental Rd.
Sebastopol, CA.

707 . 829 . 0555 PH 707 . 824 . 0516 FAX

BECKY DUCKLES
CONSULTING ARBORIST & LANDSCAPE ADVISOR
SEBASTOPOL, CA.
707.829.0555 PH.

ELNOKA CCRC – Santa Rosa
ARBORIST'S SUMMARY

May 19, 2017

The following report provides an inventory and evaluations of all trees over 4" diameter (at 54" above grade, unless noted otherwise) on the site of the Elnoka project in Santa Rosa, California, adjacent to Highway 12, that could potentially be impacted by proposed construction. The project site encompasses 68+ acres total. Tree locations are based on the Tree Protection Plan by Brelje & Race dated April 2017; their survey crew had located all trees on site except for some trees within creek setbacks that would remain undisturbed.

The site is gently sloping with a seasonal creek running east/west in the northern quadrant (near Hwy 12), and two other creeks on the west, upper portion. Many native oaks of several species as well as other natives are growing throughout the site. Some ornamentals were planted and are growing at residences on the western section of the site, with a few remnant orchard (apple and pear) trees. The ornamentals vary widely in condition, and are listed individually; some are protected species and some are not.

There are many acacias growing along the creekbeds in the eastern part of the site which have not been included because they are listed as exempt from protection in Santa Rosa's Tree Ordinance. Some non-protected species have been included near the existing residences for clarity during demolition.

All protected (and most non-protected) trees over 4" d.b.h. are included, tagged onsite, their ID numbers relating to the Tree Preservation Plan and the Inventory.

The format of the Arborist's Report – Elnoka CCRC is as follows:

Tree Preservation Plan - Plans titled 'Tree Preservation Plan' showing different sections of the site are submitted with this report showing tree locations by number, for reference in the Tree Inventory & Evaluation.

Tree Evaluation - A listing and discussion (in spreadsheet format) of the trees shown on the Tree Preservation Plan, including the following information:

Number - The number assigned (and as tagged) to a tree for location reference on the Tree Preservation Plan

Species (Common & Botanical Name)

Trunk Diameter – Trunk(s) diameter in inches at 54" above grade (d.b.h.), (unless noted otherwise)

Elnoka CCRC – Arborist’s Report
May 19, 2017
Page 2

General Condition - Rated Poor to Excellent. General comments about the tree's present condition. 'Poor' or 'Fair' may indicate severe loss of vigor, significant decay, possible disease, sparse foliage, branch dieback, suppressed growth due to competition, etc.

Structural Integrity - Rated Poor to Excellent, with specific comments regarding canopy development or angle of lean, significant defects, hazards or problems, etc.

Recommendations – Specific comments regarding tree potential for preservation, removal (if necessary for hazard reduction or adjacent tree health), and individual protection measures.

There are 1663 trees surveyed by the crew on this site. Many more within creek setbacks which would never be disturbed were not included in the survey or this inventory. Of these surveyed trees, we numbered, tagged, identified, measured, evaluated and discussed potential impact on 866 trees included in our inventory. Of those, 30 trees to be removed are not protected species; including Hollywood juniper, Monterey cypress, Monterey pine, and one flowering hawthorn. Of more than 1663 trees, 409 trees of protected species are proposed to be removed and mitigated. The project landscape architects are preparing mitigation calculations and landscape improvement plans which would provide hundreds of new trees, including many native oaks and many large specimens.

During the development of the improvement plans, I will continue to work closely with the project developer, landscape architect and engineers to refine solutions for preserving the existing trees on site.

Respectfully submitted,

Becky Duckles

Becky Duckles, Project Arborist
ISA Certified Consulting Arborist #WE-0796A

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
1	Coast Live Oak/ <i>Quercus agrifolia</i>	13" @ 2.5'	Good	Fair	To be preserved; outside zone of construction impact
2	Black Walnut/ <i>Juglans nigra</i>	8, 8, 18"	Fair	Poor	To be preserved; protected tree
3	Olive/ <i>Olea europaea</i>	17"	Excellent	Excellent	To be removed; can be transplanted; not a protected species
4	Douglas Fir/ <i>Pseudotsuga menziesii</i>	29"	Good	Excellent	To be preserved; outside zone of construction impact
5	Valley Oak/ <i>Quercus lobata</i>	10"	Good	Fair	To be preserved; outside zone of construction impact
6	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; outside zone of construction impact
7	Black Oak/ <i>Quercus kelloggii</i>	11"	Good	Fair	To be preserved; outside zone of construction impact
8	Valley Oak/ <i>Quercus lobata</i>	31"	Good	Good	To be preserved; outside zone of construction impact
9	Valley Oak/ <i>Quercus lobata</i>	30" @ 3'	Good	Good	To be preserved; outside zone of construction impact
10	Madrone/ <i>Arbutus menziesii</i>	27" @ 2' 19" @ 2'	Good	Good	To be preserved; will need clearance pruning and deadwood removal; minimize grading within root zone
11	Douglas Fir/ <i>Pseudotsuga menziesii</i>	36"	Good	Fair	To be preserved; minimize excavation for retaining wall within rootzone
12	Madrone/ <i>Arbutus menziesii</i>	9"	Good	Fair	To be preserved; outside zone of construction impact
13	Valley Oak/ <i>Quercus lobata</i>	29"	Good	Good	To be preserved; outside zone of construction impact
14	California Buckeye/ <i>Aesculus californica</i>	11"	Good	Good	To be preserved; outside zone of construction impact
15	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Fair	To be preserved; outside zone of construction impact
16	Valley Oak/ <i>Quercus lobata</i>	22"	Good	Good	To be preserved; will need clearance pruning; minimize retaining wall excavation within rootzone
17	Valley Oak/ <i>Quercus lobata</i>	27"	Good	Good	To be preserved; will need clearance pruning; minimize retaining wall excavation within rootzone
18	Pine/ <i>Pinus sp.</i>	40"	Good	Good	To be removed; not a protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
19	Valley Oak/ <i>Quercus lobata</i>	28"	Excellent	Excellent	To be removed; protected tree
20	Valley Oak/ <i>Quercus lobata</i>	29"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
21	Valley Oak/ <i>Quercus lobata</i>	15, 16"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
22	Valley Oak/ <i>Quercus lobata</i>	17"	Fair	Fair	To be preserved; hollow lower trunk; will need clearance pruning; reassess prior to construction
23	Valley Oak/ <i>Quercus lobata</i>	23"	Good	Good	To be preserved; minimize grading within rootzone
24	Valley Oak/ <i>Quercus lobata</i>	10"	Good	Good	To be preserved; outside zone of construction impact
25	Valley Oak/ <i>Quercus lobata</i>	19" @ 3'	Good	Good	To be preserved; minimize excavation for retaining wall within rootzone
26	Valley Oak/ <i>Quercus lobata</i>	26"	Good	Good	To be preserved; outside zone of construction impact
27	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; outside zone of construction impact
28	Valley Oak/ <i>Quercus lobata</i>	22"	Good	Good	To be preserved; outside zone of construction impact
29	Valley Oak/ <i>Quercus lobata</i>	14, 18"	Good	Good	To be preserved; will need clearance pruning; minimize retaining wall excavation within rootzone
30	Valley Oak/ <i>Quercus lobata</i>	22"	Good	Good	To be preserved; outside zone of construction impact
31	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be preserved; will need clearance pruning; minimize retaining wall excavation within rootzone
32	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; remove deadwood
33	Valley Oak/ <i>Quercus lobata</i>	19"	Good	Good	To be preserved; outside zone of construction impact
34	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; outside zone of construction impact
35	Valley Oak/ <i>Quercus lobata</i>	20"	Good	Good	To be preserved; outside zone of construction impact
36	Valley Oak/ <i>Quercus lobata</i>	24"	Good	Good	To be preserved; outside zone of construction impact

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
37	Valley Oak/ <i>Quercus lobata</i>	10, 20"	Good	Good	To be preserved; outside zone of construction impact
38	Valley Oak/ <i>Quercus lobata</i>	32"	Good	Good	To be preserved; outside zone of construction impact
39	Valley Oak/ <i>Quercus lobata</i>	27"	Good	Good	To be preserved; outside zone of construction impact
40	Valley Oak/ <i>Quercus lobata</i>	28"	Good	Good	To be preserved; outside zone of construction impact
41	Valley Oak/ <i>Quercus lobata</i>	28"	Good	Good	To be preserved; minimize grading within rootzone
42	Valley Oak/ <i>Quercus lobata</i>	28"	Good	Good	To be preserved; minimize grading within rootzone
43	Willow/ <i>Salix sp.</i>	4, 4, 6"	Good	Fair	To be removed; protected tree
44	Willow/ <i>Salix sp.</i>	4, 4, 5, 5, 12"	Good	Good	To be removed; protected tree
45	Willow/ <i>Salix sp.</i>	6, 7, 10, 15"	Good	Fair	To be removed; protected tree
46	Coast Redwood/ <i>Sequoia sempervirens</i>	30, 37, 39"	Good	Good	To be removed; protected tree
47	Italian Stone Pine/ <i>Pinus pinea</i>	36"	Good	Good	To be removed; protected tree
48	Monterey Pine/ <i>Pinus radiata</i>	47"	Fair	Good	To be removed; not a protected tree
49	Valley Oak/ <i>Quercus lobata</i>	4"	Good	Good	To be removed; protected tree
50	Italian Stone Pine/ <i>Pinus pinea</i>	28, 37"	Good	Poor	To be removed; actively failing tree; hazardous tree
51	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Fair	To be removed; protected tree
52	Deodar Cedar/ <i>Cedrus deodara</i>	6"	Good	Good	To be removed; protected tree
53	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed; protected tree
54	Italian Stone Pine/ <i>Pinus pinea</i>	10"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
55	Italian Stone Pine/ <i>Pinus pinea</i>	7"	Good	Good	To be removed; protected tree
56	Deodar Cedar/ <i>Cedrus deodara</i>	5"	Good	Good	To be removed; protected tree
57	Italian Stone Pine/ <i>Pinus pinea</i>	6"	Good	Good	To be removed; protected tree
58	Italian Stone Pine/ <i>Pinus pinea</i>	12"	Good	Good	To be removed; protected tree
59	Magnolia/ <i>Magnolia grandiflora</i>	13" @ 3'	Good	Good	To be removed; protected tree
60	Deodar Cedar/ <i>Cedrus deodara</i>	28"	Good	Good	To be removed; protected tree
61	Scotch Pine/ <i>Pinus sylvestris</i>	13"	Good	Fair	To be removed; protected tree
62	California Bay Laurel/ <i>Umbellularia californica</i>	4, 4, 5"	Fair	Good	To be removed; protected tree
63	Pine/ <i>Pinus</i> sp.	10, 18"	Good	Poor	To be removed; not a protected tree
64	Black Locust/ <i>Robinia pseudoacacia</i>	10"	Good	Good	To be removed; protected tree
65	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed; protected tree
66	Fern Pine/ <i>Podocarpus</i> sp.	5"	Good	Fair	To be removed; overgrown shrub; not a protected tree
67	Deodar Cedar/ <i>Cedrus deodara</i>	5"	Good	Good	To be removed; protected tree
68	Chinese Pistache/ <i>Pistacia chinensis</i>	9"	Fair	Good	To be removed; protected tree
69	English Walnut/ <i>Juglans regia</i>	8" @ 3'	Poor	Poor	To be removed; protected tree
70	Hawthorn/ <i>Crataegus</i> sp.	9"	Fair	Good	To be removed; not a protected tree
71	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
72	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Fair	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
73	Giant Sequoia/ <i>Sequoiadendron giganteum</i>	29"	Poor	Poor	To be removed; protected tree
74	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Fair	To be removed; protected tree
75	Chinese Pistache/ <i>Pistacia chinensis</i>	5"	Good	Good	To be removed; protected tree
76	Coast Live Oak/ <i>Quercus agrifolia</i>	5" @ 3'	Good	Good	To be removed; protected tree
77	Italian Stone Pine/ <i>Pinus pinea</i>	21"	Good	Good	To be removed; protected tree
78	Coast Redwood/ <i>Sequoia sempervirens</i>	20"	Poor	Good	To be removed; protected tree
79	Eucalyptus/ <i>Eucalyptus globulus</i>	25" @ 2'	Good	Fair	To be removed; protected tree
80	Italian Stone Pine/ <i>Pinus pinea</i>	7"	Good	Good	To be removed; protected tree
81	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 4"	Good	Fair	To be removed; protected tree
82	Italian Stone Pine/ <i>Pinus pinea</i>	36"	Good	Fair	To be removed; protected tree
83	Italian Stone Pine/ <i>Pinus pinea</i>	6"	Good	Good	To be removed; protected tree
84	Italian Stone Pine/ <i>Pinus pinea</i>	7"	Good	Fair	To be removed; protected tree
85	Coast Redwood/ <i>Sequoia sempervirens</i>	7, 8"	Fair	Fair	To be removed; protected tree
86	Deodar Cedar/ <i>Cedrus deodara</i>	25"	Good	Good	To be removed; protected tree
87	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Fair	To be removed; protected tree
88	Pine/ <i>Pinus</i> sp.	10"	Good	Good	To be removed; not a protected tree
89	Douglas Fir/ <i>Pseudotsuga menziesii</i>	24"	Good	Good	To be removed; protected tree
90	Eucalyptus/ <i>Eucalyptus</i> sp.	14"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
91	<i>Eucalyptus/Eucalyptus sp.</i>	10"	Good	Fair	To be removed; protected tree
92	Deodar Cedar/ <i>Cedrus deodara</i>	13"	Good	Good	To be preserved; protected tree
93	Valley Oak/ <i>Quercus lobata</i>	14, 24"	Good	Good	To be preserved; protected tree
94	Valley Oak/ <i>Quercus lobata</i>	29"	Good	Good	To be removed; protected tree
95	Madrone/ <i>Arbutus menziesii</i>	4" @ 7', 4" @ 3'	Good	Good	To be removed; protected tree
96	Valley Oak/ <i>Quercus lobata</i>	10, 15"	Good	Fair	To be preserved; may need clearance pruning
97	Valley Oak/ <i>Quercus lobata</i>	5"	Good	Good	To be preserved; outside zone of construction impact
98	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; outside zone of construction impact
99	Coast Live Oak/ <i>Quercus agrifolia</i>	9"	Good	Good	To be preserved; may need clearance pruning
100	Valley Oak/ <i>Quercus lobata</i>	4"	Good	Good	To be preserved; minimize grading within rootzone
101	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be preserved; minimize grading within rootzone
102	Valley Oak/ <i>Quercus lobata</i>	30"	Excellent	Excellent	To be preserved; may need clearance pruning; minimize grading within rootzone
103	Valley Oak/ <i>Quercus lobata</i>	43"	Excellent	Excellent	To be preserved; will need extensive clearance pruning; minimize grading within rootzone
104	Coast Live Oak/ <i>Quercus agrifolia</i>	57"	Excellent	Good	To be preserved; minimize grading within rootzone
105	Valley Oak/ <i>Quercus lobata</i>	22"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
106	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be removed; protected tree
107	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be removed; protected tree
108	Valley Oak/ <i>Quercus lobata</i>	32"	Good	Fair	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
109	Valley Oak/ <i>Quercus lobata</i>	28"	Fair	Good	To be preserved; will need clearance pruning; remove mistletoe
110	Valley Oak/ <i>Quercus lobata</i>	32"	Fair	Good	To be removed; protected tree
111	Valley Oak/ <i>Quercus lobata</i>	23"	Good	Fair	To be preserved; will need clearance pruning; minimize grading within rootzone
112	Valley Oak/ <i>Quercus lobata</i>	19"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
113	Valley Oak/ <i>Quercus lobata</i>	22"	Excellent	Excellent	To be removed; protected tree
114	Blue Oak/ <i>Quercus douglasii</i>	16"	Good	Fair	To be removed; protected tree
115	Silver Dollar Gum/ <i>Eucalyptus cinerea</i>	10"	Good	Good	To be removed; protected tree
116	Silver Dollar Gum/ <i>Eucalyptus cinerea</i>	11, 15, 15"	Good	Good	To be removed; protected tree
117	Silver Dollar Gum/ <i>Eucalyptus cinerea</i>	11, 12, 13, 13"	Good	Fair	To be removed; protected tree
118	Valley Oak/ <i>Quercus lobata</i>	37"	Excellent	Good	To be removed; protected tree
119	Cypress/ <i>Cupressus sp.</i>	7, 9"	Good	Poor	To be removed; fallen; not a protected tree
120	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed; protected tree
121	Coast Live Oak/ <i>Quercus agrifolia</i>	15"	Good	Fair/Poor	To be preserved; may need clearance pruning
122	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Fair	To be preserved; will need extensive clearance pruning; minimize grading within rootzone
123	Blue Oak/ <i>Quercus douglasii</i>	23"	Good	Fair	To be preserved; will need clearance pruning; minimize grading within rootzone
124	Blue Oak/ <i>Quercus douglasii</i>	27"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
125	Blue Oak/ <i>Quercus douglasii</i>	12"	Good	Fair	To be preserved; will need clearance pruning; minimize grading within rootzone
126	Hollywood Juniper/ <i>Juniperus chinensis 'Torulosa'</i> Juniper	12"	Good	Good	To be removed; not a protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
127	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be removed; protected tree
128	Valley Oak/ <i>Quercus lobata</i>	15"	Good	Good	To be removed; protected tree
129	Hollywood Juniper/ <i>Juniperus chinensis</i> 'Torulosa'	7"	Good	Good	To be removed; not a protected tree
130	Coast Live Oak/ <i>Quercus agrifolia</i>	6" @ 2'	Good	Fair	To be removed; protected tree
131	Coast Live Oak/ <i>Quercus agrifolia</i>	11"	Good	Good	To be removed; protected tree
132	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
133	Coast Live Oak/ <i>Quercus agrifolia</i>	9"	Good	Good	To be removed; protected tree
134	Coast Live Oak/ <i>Quercus agrifolia</i>	6, 7"	Good	Good	To be removed; protected tree
135	Hollywood Juniper/ <i>Juniperus chinensis</i> 'Torulosa' Juniper	8" @ 2'	Good	Good	To be removed; fallen; not a protected tree
136	Valley Oak/ <i>Quercus lobata</i>	12"	Fair	Good	To be removed; protected tree
137	Manzanita/ <i>Arctostaphylos</i> sp.	5, 5"	Excellent	Excellent	To be removed; shrub; not a protected tree
138	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 4"	Good	Good	To be removed; protected tree
139	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be removed; protected tree
140	Monterey Cypress/ <i>Hesperocyparis macrocarpa</i>	23"	Fair	Fair	To be removed; not a protected tree
141	Blue Oak/ <i>Quercus douglasii</i>	19"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone; remove mistletoe
142	Valley Oak/ <i>Quercus lobata</i>	30"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone; remove mistletoe
143	Blue Oak/ <i>Quercus douglasii</i>	25"	Good	Good	To be preserved
144	Blue Oak/ <i>Quercus douglasii</i>	29"	Good	Good	To be preserved

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
145	Monterey Cypress/ <i>Hesperocyparis macrocarpa</i>	20"	Good	Poor	To be removed; partially failed; not a protected tree
146	Blue Oak/ <i>Quercus douglasii</i>	14"	Fair	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
147	Blue Oak/ <i>Quercus douglasii</i>	21"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
148	Hollywood Juniper/ <i>Juniperus chinensis</i> 'Torulosa' Juniper	9, 10"	Good	Fair	To be removed; not a protected tree
149	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Fair	To be removed; protected tree
150	Coast Live Oak/ <i>Quercus agrifolia</i>	6" @ 3'	Good	Good	To be removed; protected tree
151	Blue Oak/ <i>Quercus douglasii</i>	7"	Fair	Fair	To be removed; protected tree
152	Coast Live Oak/ <i>Quercus agrifolia</i>	6, 6, 7" @ 2'	Good	Good	To be removed; protected tree
153	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 4, 5"	Good	Poor	To be removed; protected tree
154	Coast Live Oak/ <i>Quercus agrifolia</i>	7" @ 3'	Good	Poor	To be removed; protected tree
155	Coast Live Oak/ <i>Quercus agrifolia</i>	5, 6, 6, 7, 9"	Good	Fair	To be removed; protected tree
156	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
157	Coast Live Oak/ <i>Quercus agrifolia</i>	9"	Good	Good	To be removed; protected tree
158	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be removed; protected tree
159	Hollywood Juniper/ <i>Juniperus chinensis</i> 'Torulosa' Juniper	5, 9, 10, 12"	Good	Good	To be removed; not a protected tree
160	Coast Live Oak/ <i>Quercus agrifolia</i>	12"	Good	Good	To be removed; protected tree
161	Italian Stone Pine/ <i>Pinus pinea</i>	42" @ 1'	Fair	Poor	To be removed; protected tree
162	Coast Live Oak/ <i>Quercus agrifolia</i>	6" @ 2', 7" @ 3'	Good	Poor	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
163	Coast Live Oak/ <i>Quercus agrifolia</i>	28"	Good	Fair	To be removed; protected tree
164	Blue Oak/ <i>Quercus douglasii</i>	22"	Fair	Good	To be preserved; poor condition; may not survive construction
165	Coast Live Oak/ <i>Quercus agrifolia</i>	33" @ 2'	Good	Fair	To be preserved; needs cable; past root loss
166	Coast Live Oak/ <i>Quercus agrifolia</i>	10"	Good	Fair	To be preserved
167	Coast Live Oak/ <i>Quercus agrifolia</i>	9"	Good	Good	To be preserved; will need clearance pruning
168	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be removed; protected tree
169	Coast Live Oak/ <i>Quercus agrifolia</i>	5, 7"	Good	Fair	To be removed; protected tree
170	Coast Live Oak/ <i>Quercus agrifolia</i>	6" @ 1'	Good	Fair	To be removed; protected tree
171	Coast Live Oak/ <i>Quercus agrifolia</i>	8" @ 3'	Good	Good	To be removed; protected tree
172	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed; protected tree
173	Coast Live Oak/ <i>Quercus agrifolia</i>	12"	Good	Good	To be removed; protected tree
174	Willow/ <i>Salix</i> sp.	21"	Good	Fair	To be removed; protected tree
175	Hollywood Juniper/ <i>Juniperus chinensis</i> 'Torulosa' Juniper	4, 5, 7, 10"	Good	Good	To be removed; partially failed; not a protected tree
176	Coast Live Oak/ <i>Quercus agrifolia</i>	23"	Good	Good	To be removed; protected tree
177	Magnolia/ <i>Magnolia grandiflora</i>	4"	Good	Good	To be removed; protected tree
178	Blue Oak/ <i>Quercus douglasii</i>	19, 21, 24"	Good	Good	To be preserved
179	Hollywood Juniper/ <i>Juniperus chinensis</i> 'Torulosa' Juniper	4"	Good	Good	To be removed; not a protected tree
180	Blue Oak/ <i>Quercus douglasii</i>	22"	Good	Good	To be preserved

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
181	Blue Oak/ <i>Quercus douglasii</i>	17"	Good	Good	To be preserved
182	Blue Oak/ <i>Quercus douglasii</i>	16"	Good	Fair	To be preserved
183	Blue Oak/ <i>Quercus douglasii</i>	17"	Good	Good	To be preserved
184	Monterey Cypress/ <i>Hesperocyparis macrocarpa</i>	4"	Poor	Fair	To be removed; not a protected tree
185	Blue Oak/ <i>Quercus douglasii</i>	13"	Fair	Fair	To be preserved
186	Blue Oak/ <i>Quercus douglasii</i>	14"	Good	Good	To be preserved
187	Blue Oak/ <i>Quercus douglasii</i>	23"	Good	Good	To be preserved
188	Blue Oak/ <i>Quercus douglasii</i>	18"	Good	Good	To be preserved
189	Valley Oak/ <i>Quercus lobata</i>	11, 18"	Good	Good	To be preserved
190	Blue Oak/ <i>Quercus douglasii</i>	16, 32"	Good	Good	To be preserved
191	Hybrid Oak/ <i>Quercus x sp.</i>	16"	Good	Good	To be preserved
192	Hybrid Oak/ <i>Quercus x sp.</i>	25" @ 3'	Good	Good	To be preserved
193	Valley Oak/ <i>Quercus lobata</i>	4"	Good	Good	To be removed; protected tree
194	Monterey Pine/ <i>Pinus radiata</i>	7"	Good	Excellent	To be removed; not a protected tree
195	Monterey Pine/ <i>Pinus radiata</i>	34" @ 2'	Good	Good	To be removed; not a protected tree
196	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
197	Monterey Pine/ <i>Pinus radiata</i>	27"	Fair	Fair	To be removed; not a protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
198	Monterey Pine/ <i>Pinus radiata</i>	25"	Fair	Fair	To be removed; not a protected tree
199	Monterey Pine/ <i>Pinus radiata</i>	28"	Poor	Fair	To be removed; not a protected tree
200	Maple/ <i>Acer sp.</i>	9"	Good	Good	To be removed; protected tree
201	Valley Oak/ <i>Quercus lobata</i>	4"	Good	Excellent	To be removed; protected tree
202	Monterey Cypress <i>Hesperocyparis macrocarpa</i>	14"	Fair	Fair	To be removed; not a protected tree
203	Valley Oak/ <i>Quercus lobata</i>	6"	Good	Good	To be removed; protected tree
204	Deodar Cedar/ <i>Cedrus deodara</i>	13"	Fair	Fair	To be removed; protected tree
205	Coast Live Oak/ <i>Quercus agrifolia</i>	12" @ 2'	Good	Fair	To be removed; protected tree
206	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Excellent	To be removed; protected tree
207	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 6, 8"	Good	Excellent	To be removed; protected tree
208	Valley Oak/ <i>Quercus lobata</i>	7"	Good	Excellent	To be removed; protected tree
209	Coast Live Oak/ <i>Quercus agrifolia</i>	5, 7"	Good	Fair	To be removed; protected tree
210	Willow/ <i>Salix sp.</i>	4, 5"	Good	Fair	To be removed; protected tree
211	Ash/ <i>Fraxinus sp.</i>	4, 7, 8"	Good	Fair	To be removed; protected tree
212	Ash/ <i>Fraxinus sp.</i>	5, 6, 11"	Good	Fair	To be removed; protected tree
213	Deodar Cedar/ <i>Cedrus deodara</i>	7"	Fair	Good	To be removed; protected tree
214	Deodar Cedar/ <i>Cedrus deodara</i>	11"	Good	Fair	To be removed; protected tree
215	Italian Stone Pine/ <i>Pinus pinea</i>	8" @ 2'	Good	Fair	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
216	Deodar Cedar/ <i>Cedrus deodara</i>	8"	Poor	Fair	To be removed; protected tree
217	Deodar Cedar/ <i>Cedrus deodara</i>	10"	Fair	Fair	To be removed; protected tree
218	Deodar Cedar/ <i>Cedrus deodara</i>	7"	Poor	Fair	To be removed; protected tree
219	Liquidambar/ <i>Liquidambar styraciflua</i>	7"	Good	Fair	To be removed; protected tree
220	Liquidambar/ <i>Liquidambar styraciflua</i>	8, 8"	Good	Fair	To be removed; protected tree
221	Monterey Pine/ <i>Pinus radiata</i>	4"	Fair	Fair	To be removed; not a protected tree
222	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Fair	To be removed; protected tree
223	Liquidambar/ <i>Liquidambar styraciflua</i>	8"	Good	Fair	To be removed; protected tree
224	Liquidambar/ <i>Liquidambar styraciflua</i>	8"	Good	Fair	To be removed; protected tree
225	Liquidambar/ <i>Liquidambar styraciflua</i>	13"	Good	Good	To be removed; protected tree
226	Liquidambar/ <i>Liquidambar styraciflua</i>	7, 10"	Good	Fair	To be removed; protected tree
227	Liquidambar/ <i>Liquidambar styraciflua</i>	8"	Good	Good	To be removed; protected tree
228	Liquidambar/ <i>Liquidambar styraciflua</i>	8"	Fair	Fair	To be removed; protected tree
229	Valley Oak/ <i>Quercus lobata</i>	5"	Good	Good	To be removed; protected tree
230	Liquidambar/ <i>Liquidambar styraciflua</i>	7"	Good	Good	To be removed; protected tree
231	Liquidambar/ <i>Liquidambar styraciflua</i>	5, 6, 9"	Good	Fair	To be removed; protected tree
232	Liquidambar/ <i>Liquidambar styraciflua</i>	5, 9"	Good	Fair	To be removed; protected tree
233	Black Walnut/ <i>Juglans nigra</i>	10"	Fair	Fair	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
234	Valley Oak/ <i>Quercus lobata</i>	5"	Good	Good	To be removed; protected tree
235	Valley Oak/ <i>Quercus lobata</i>	4" @ 3'	Good	Good	To be removed; protected tree
236	Liquidambar/ <i>Liquidambar styraciflua</i>	7"	Good	Good	To be removed; protected tree
237	Valley Oak/ <i>Quercus lobata</i>	4"	Good	Good	To be removed; protected tree
238	Liquidambar/ <i>Liquidambar styraciflua</i>	9"	Good	Fair	To be removed; protected tree
239	Liquidambar/ <i>Liquidambar styraciflua</i>	10" @ 3'	Good	Good	To be removed; protected tree
240	Liquidambar/ <i>Liquidambar styraciflua</i>	6, 8"	Good	Fair	To be removed; protected tree
241	Liquidambar/ <i>Liquidambar styraciflua</i>	6" @ 3', 8'	Fair	Fair	To be removed; protected tree
242	Liquidambar/ <i>Liquidambar styraciflua</i>	6"	Fair	Fair	To be removed; protected tree
243	Liquidambar/ <i>Liquidambar styraciflua</i>	8"	Good	Fair	To be removed; protected tree
244	Liquidambar/ <i>Liquidambar styraciflua</i>	9"	Good	Fair	To be removed; protected tree
245	Liquidambar/ <i>Liquidambar styraciflua</i>	6, 7"	Good	Fair	To be removed; protected tree
246	Liquidambar/ <i>Liquidambar styraciflua</i>	4,4,4,5,8" @ 3'	Fair	Poor	To be removed; protected tree
247	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
248	Liquidambar/ <i>Liquidambar styraciflua</i>	4, 6"	Good	Fair	To be removed; protected tree
249	Liquidambar/ <i>Liquidambar styraciflua</i>	4, 6, 6, 7"	Fair	Fair	To be removed; protected tree
250	Liquidambar/ <i>Liquidambar styraciflua</i>	10"	Fair	Fair	To be removed; protected tree
251	Coast Live Oak/ <i>Quercus agrifolia</i>	8" @ 2'	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
252	Liquidambar/ <i>Liquidambar styraciflua</i>	4, 8, 10"	Good	Fair	To be removed; protected tree
253	Liquidambar/ <i>Liquidambar styraciflua</i>	5, 7, 7"	Fair	Poor	To be removed; protected tree
254	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
255	Coast Live Oak/ <i>Quercus agrifolia</i>	6" @ 3'	Good	Good	To be removed; protected tree
256	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
257	Liquidambar/ <i>Liquidambar styraciflua</i>	6, 7, 7"	Good	Fair	To be removed; protected tree
258	Liquidambar/ <i>Liquidambar styraciflua</i>	4"	Good	Good	To be removed; protected tree
259	Coast Live Oak/ <i>Quercus agrifolia</i>	5, 6"	Good	Fair	To be removed; protected tree
260	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be removed; protected tree
261	Liquidambar/ <i>Liquidambar styraciflua</i>	5, 9"	Poor	Poor	To be removed; protected tree
262	Coast Live Oak/ <i>Quercus agrifolia</i>	7" @ 3'	Good	Good	To be removed; protected tree
263	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Fair	To be removed; protected tree
264	Liquidambar/ <i>Liquidambar styraciflua</i>	7"	Good	Fair	To be removed; protected tree
265	Liquidambar/ <i>Liquidambar styraciflua</i>	11"	Good	Fair	To be removed; protected tree
266	Liquidambar/ <i>Liquidambar styraciflua</i>	7"	Fair	Poor	To be removed; protected tree
267	Liquidambar/ <i>Liquidambar styraciflua</i>	7"	Fair	Fair	To be removed; protected tree
268	Liquidambar/ <i>Liquidambar styraciflua</i>	8"	Fair	Fair	To be removed; protected tree
269	Liquidambar/ <i>Liquidambar styraciflua</i>	6"	Fair	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
270	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 6"	Good	Good	To be removed; protected tree
271	Liquidambar/ <i>Liquidambar styraciflua</i>	11" @ 2'	Good	Fair	To be removed; protected tree
272	Liquidambar/ <i>Liquidambar styraciflua</i>	9" @ 3'	Good	Fair	To be removed; protected tree
273	Monterey Pine/ <i>Pinus radiata</i>	11"	Fair	Good	To be removed; not a protected tree
274	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
275	Raywood Ash/ <i>Fraxinus angustifolia</i> 'Raywood'	5, 33"	Good	Fair	To be removed; protected tree
276	Monterey Pine/ <i>Pinus radiata</i>	24"	Fair	Good	To be removed; not a protected tree
277	Blue Oak/ <i>Quercus douglasii</i>	5"	Good	Fair	To be removed; protected tree
278	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Fair	Fair	To be removed; protected tree
279	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 7"	Good	Fair	To be removed; protected tree
280	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 7, 14"	Good	Good	To be removed; protected tree
281	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Excellent	To be removed; protected tree
282	Monterey Cypress/ <i>Hesperocyparis macrocarpa</i>	7, 8, 9"	Good	Good	To be removed; not a protected tree
283	Italian Stone Pine/ <i>Pinus pinea</i>	23"	Good	Fair	To be removed; protected tree
284	Silver Maple/ <i>Acer saccharinum</i>	25"	Good	Good	To be removed; not a protected tree
285	Monterey Cypress/ <i>Hesperocyparis macrocarpa</i>	9, 11, 13, 23"	Good	Fair	To be removed; not a protected tree
286	Hybrid Oak/ <i>Quercus x sp.</i>	7"	Good	Good	To be preserved

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
287	Monterey Cypress/ <i>Hesperocyparis macrocarpa</i>	26" @ 3'	Fair	Fair	To be removed; protected tree
288	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 10"	Good	Fair	To be removed; protected tree
289	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
290	Coast Live Oak/ <i>Quercus agrifolia</i>	4, 4, 6"	Good	Fair	To be removed; protected tree
291	Coast Live Oak/ <i>Quercus agrifolia</i>	5, 8"	Good	Fair	To be removed; protected tree
292	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Fair	To be removed; protected tree
293	Coast Live Oak/ <i>Quercus agrifolia</i>	9" @ 4'	Good	Fair	To be removed for construction; protected tree
294	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed for construction; protected tree
295	Coast Live Oak/ <i>Quercus agrifolia</i>	8" @ 4'	Good	Good	Sidewalk will be moved to preserve; protected tree
296	Coast Live Oak/ <i>Quercus agrifolia</i>	16, 22" @ 3'	Good	Poor	To be removed for construction; protected tree
297	Coast Live Oak/ <i>Quercus agrifolia</i>	10"	Good	Fair	To be removed; protected tree
298	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed; protected tree
299	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
300	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Fair	Good	To be removed for construction; protected tree
301	Pin Oak/ <i>Quercus palustris</i>	18"	Fair	Fair	To be removed; protected tree
302	Pin Oak/ <i>Quercus palustris</i>	26"	Fair	Fair	To be removed; protected tree
303	Mexican Fan Palm/ <i>Washingtonian robusta</i>	11"	Good	Good	To be removed; protected tree
304	Coast Live Oak/ <i>Quercus agrifolia</i>	4", 6"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
305	Bunya Bunya Tree/ <i>Araucaria bidwillii</i>	23"	Excellent	Excellent	To be removed; protected tree
306	Coast Live Oak/ <i>Quercus agrifolia</i>	4", 7"	Good	Good	To be removed; protected tree
307	Valley Oak/ <i>Quercus lobata</i>	6"	Good	Good	To be removed; protected tree
308	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
309	Liquidambar/ <i>Liquidambar styraciflua</i>	4"	Good	Good	To be removed; protected tree
310	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Fair	To be removed; protected tree
311	Coast Live Oak/ <i>Quercus agrifolia</i>	6" @ 3'	Good	Good	To be removed; protected tree
312	Liquidambar/ <i>Liquidambar styraciflua</i>	10"	Good	Good	To be removed; protected tree
313	Liquidambar/ <i>Liquidambar styraciflua</i>	10"	Good	Good	To be removed; protected tree
314	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
315	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
316	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
317	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Fair	To be removed; protected tree
318	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Fair	To be removed; protected tree
319	Deodar Cedar/ <i>Cedrus deodara</i>	13"	Good	Good	To be removed; protected tree
320	Pin Oak/ <i>Quercus palustris</i>	14"	Fair	Fair	To be removed; protected tree
321	Pin Oak/ <i>Quercus palustris</i>	13"	Good	Fair	To be removed; protected tree
322	Pin Oak/ <i>Quercus palustris</i>	11"	Fair	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
323	Pin Oak/ <i>Quercus palustris</i>	11"	Fair	Good	To be removed; protected tree
324	Valley Oak/ <i>Quercus lobata</i>	27"	Good	Excellent	To be preserved; protected tree
325	Valley Oak/ <i>Quercus lobata</i>	24"	Good	Good	To be preserved; protected tree
326	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be preserved; protected tree
327	Valley Oak/ <i>Quercus lobata</i>	20"	Good	Good	To be preserved; protected tree
328	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be preserved; protected tree
329	Valley Oak/ <i>Quercus lobata</i>	22"	Good	Fair	To be preserved; protected tree
330	Valley Oak/ <i>Quercus lobata</i>	15"	Good	Good	To be removed; protected tree
331	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be removed; protected tree
332	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Fair	To be removed; protected tree
333	Valley Oak/ <i>Quercus lobata</i>	5", 6"	Good	Fair	To be preserved; protected tree
334	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be preserved; protected tree
335	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; protected tree
336	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; protected tree
337	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; protected tree
338	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be preserved; protected tree
339	Valley Oak/ <i>Quercus lobata</i>	18"	Good	Good	To be preserved; protected tree
340	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be preserved; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
341	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; protected tree
342	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; protected tree
343	Valley Oak/ <i>Quercus lobata</i>	14" @ 3'	Good	Good	To be preserved; protected tree
344	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be preserved; protected tree
345	Valley Oak/ <i>Quercus lobata</i>	8"	Good	Good	To be preserved; protected tree
346	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be preserved; protected tree
347	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be preserved; protected tree
348	Valley Oak/ <i>Quercus lobata</i>	25"	Good	Good	To be removed; protected tree
349	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; outside zone of construction impact; protected tree
350	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be preserved; outside zone of construction impact; protected tree
351	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; outside zone of construction impact; protected tree
352	Valley Oak/ <i>Quercus lobata</i>	24"	Good	Good	To be preserved; outside zone of construction impact; protected tree
353	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be preserved; outside zone of construction impact; protected tree
354	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; outside zone of construction impact; protected tree
355	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be preserved; outside zone of construction impact; protected tree
356	Valley Oak/ <i>Quercus lobata</i>	15"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
357	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; outside zone of construction impact; protected tree
358	California Buckeye/ <i>Aesculus californica</i>	17"	Good	Good	To be preserved; outside zone of construction impact; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
359	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be preserved; outside zone of construction impact; protected tree
360	California Bay Laurel/ <i>Umbellularia californica</i>	8", 9", 9", 10", 12"	Good	Good	To be preserved; outside zone of construction impact; protected tree
361	California Bay Laurel/ <i>Umbellularia californica</i>	12", 13"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
362	California Buckeye/ <i>Aesculus californica</i>	5"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
363	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be preserved; outside zone of construction impact; protected tree
364	California Bay Laurel/ <i>Umbellularia californica</i>	4", 6", 6", 7"	Good	Good	To be preserved; outside zone of construction impact; protected tree
365	California Bay Laurel/ <i>Umbellularia californica</i>	10", 13" @3'	Good	Good	To be preserved; outside zone of construction impact; protected tree
366	Valley Oak/ <i>Quercus lobata</i>	28"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
367	Valley Oak/ <i>Quercus lobata</i>	22"	Good	Good	To be preserved; outside zone of construction impact; protected tree
368	Black Oak/ <i>Quercus kelloggii</i>	14"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
369	California Bay Laurel/ <i>Umbellularia californica</i>	4", 9", 10", 15", 15", 16", 19"	Good	Good	To be preserved; outside zone of construction impact; protected tree
370	Valley Oak/ <i>Quercus lobata</i>	20"	Good	Good	To be preserved; outside zone of construction impact; protected tree
371	Coast Live Oak/ <i>Quercus agrifolia</i>	10", 12"	Good	Good	To be preserved; outside zone of construction impact; protected tree
372	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be preserved; outside zone of construction impact; protected tree
373	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact; protected tree
374	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be preserved; outside zone of construction impact; protected tree
375	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; outside zone of construction impact; protected tree
376	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; will need clearance pruning

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
377	California Bay Laurel <i>/Umbellularia californica</i>	5", 12", 14"	Good	Good	To be removed; protected tree
378	Valley Oak/ <i>Quercus lobata</i>	25"	Good	Good	To be removed; protected tree
379	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be preserved; may need clearance pruning
380	Valley Oak/ <i>Quercus lobata</i>	19"	Good	Good	To be preserved; protected tree
381	California Bay Laurel <i>/Umbellularia californica</i>	4', 4"	Good	Good	To be preserved; may need clearance pruning
382	California Bay Laurel <i>/Umbellularia californica</i>	8", 9", 9", 9"	Good	Good	To be preserved; outside zone of construction impact; protected tree
383	Valley Oak/ <i>Quercus lobata</i>	9"	Fair	Fair	To be preserved; outside zone of construction impact; protected tree
384	Valley Oak/ <i>Quercus lobata</i>	18"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
385	Valley Oak/ <i>Quercus lobata</i>	9"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
386	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; outside zone of construction impact; protected tree
387	Valley Oak/ <i>Quercus lobata</i>	19"	Good	Good	To be preserved; outside zone of construction impact; protected tree
388	California Bay Laurel <i>/Umbellularia californica</i>	5"	Good	Good	To be preserved; outside zone of construction impact; protected tree
389	California Bay Laurel <i>/Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact; protected tree
390	California Bay Laurel <i>/Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact; protected tree
391	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; outside zone of construction impact; protected tree
392	Valley Oak/ <i>Quercus lobata</i>	10"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
393	Valley Oak/ <i>Quercus lobata</i>	9"	Good	Good	To be preserved; may need clearance pruning
394	Valley Oak/ <i>Quercus lobata</i>	8"	Fair	Fair	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
395	Valley Oak/ <i>Quercus lobata</i>	18"	Good	Good	To be removed; protected tree
396	Black Oak/ <i>Quercus kelloggii</i>	22"	Good	Fair	To be removed; protected tree
397	Blue Oak/ <i>Quercus douglasii</i>	18"	Good	Good	To be removed; protected tree
398	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be removed; protected tree
399	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be removed; protected tree
400	California Bay Laurel <i>/Umbellularia californica</i>	7"	Good	Good	To be removed; protected tree
401	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be removed; protected tree
402	Oregon Ash/ <i>Fraxinus latifolia</i>	19"	Fair	Fair	To be removed; protected tree
403	Valley Oak/ <i>Quercus lobata</i>	11"	Fair	Fair	To be removed; protected tree
404	Valley Oak/ <i>Quercus lobata</i>	12"	Fair	Fair	To be removed; protected tree
405	Valley Oak/ <i>Quercus lobata</i>	7"	Good	Good	To be removed; protected tree
406	Valley Oak/ <i>Quercus lobata</i>	9"	Good	Good	To be preserved; outside zone of construction impact; protected tree
407	California Bay Laurel <i>/Umbellularia californica</i>	13" @ 3'	Good	Fair	To be preserved; protected tree
408	California Buckeye/ <i>Aesculus californica</i>	15"	Good	Good	To be preserved; protected tree
409	California Bay Laurel <i>/Umbellularia californica</i>	9", 12"	Good	Fair	To be preserved; protected tree
410	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be preserved; may need clearance pruning
411	California Bay Laurel <i>/Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
412	Valley Oak/ <i>Quercus lobata</i>	10"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
413	Coast Live Oak/ <i>Quercus agrifolia</i>	19"	Good	Poor	To be removed; protected tree
414	Valley Oak/ <i>Quercus lobata</i>	8", 9"	Good	Fair	To be removed; protected tree
415	Valley Oak/ <i>Quercus lobata</i>	26"	Good	Good	To be removed; protected tree
416	California Bay Laurel <i>/Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
417	California Bay Laurel <i>/Umbellularia californica</i>	13", 14"	Good	Good	To be removed; protected tree
418	Oregon Ash/ <i>Fraxinus latifolia</i>	12"	Good	Good	To be removed; protected tree
419	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Fair	To be preserved; protected tree
420	California Bay Laurel <i>/Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
421	Valley Oak/ <i>Quercus lobata</i>	8", 9", 11", 13"	Good	Good	To be removed; protected tree
422	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be removed; protected tree
423	Valley Oak/ <i>Quercus lobata</i>	31" @ 3'	Good	Excellent	To be preserved; protected tree
424	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Fair	To be removed; protected tree
425	Valley Oak/ <i>Quercus lobata</i>	8", 9", 10"	Good	Good	To be removed; protected tree
426	California Bay Laurel <i>/Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
427	Valley Oak/ <i>Quercus lobata</i>	15"	Good	Good	To be removed; protected tree
428	California Bay Laurel <i>/Umbellularia californica</i>	7"	Good	Good	To be removed; protected tree
429	California Bay Laurel <i>/Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
430	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
431	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Poor	To be removed; protected tree
432	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be removed; protected tree
433	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be removed; protected tree
434	Valley Oak/ <i>Quercus lobata</i>	9"	Good	Good	To be removed; protected tree
435	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be removed; protected tree
436	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be removed; protected tree
437	Coast Live Oak/ <i>Quercus agrifolia</i>	6", 8", 8"	Good	Fair	To be removed; protected tree
438	California Bay Laurel <i>/Umbellularia californica</i>	14"	Good	Good	To be removed; protected tree
439	California Bay Laurel <i>/Umbellularia californica</i>	7"	Good	Fair	To be removed; protected tree
440	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Fair	To be preserved; protected tree
441	Valley Oak/ <i>Quercus lobata</i>	8"	Good	Good	To be removed; protected tree
442	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be removed; protected tree
443	Valley Oak/ <i>Quercus lobata</i>	9"	Good	Fair	To be removed; protected tree
444	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be removed; protected tree
445	Coast Live Oak/ <i>Quercus agrifolia</i>	14"	Good	Good	To be preserved; protected tree
446	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Excellent	To be preserved; outside zone of construction impact; protected tree
447	Coast Live Oak/ <i>Quercus agrifolia</i>	11"	Good	Good	To be preserved; outside zone of construction impact; protected tree
448	Coast Live Oak/ <i>Quercus agrifolia</i>	12"	Good	Good	To be preserved; outside zone of construction impact; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
449	Coast Live Oak/ <i>Quercus agrifolia</i>	20" @ 3'	Good	Poor	To be preserved; outside zone of construction impact; protected tree
450	Valley Oak/ <i>Quercus lobata</i>	19"	Good	Fair	To be preserved; protected tree
451	Coast Live Oak/ <i>Quercus agrifolia</i>	20"	Good	Fair	To be preserved; may need clearance pruning; protected tree
452	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; protected tree
453	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be removed; protected tree
454	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be removed; protected tree
455	Valley Oak/ <i>Quercus lobata</i>	8"	Good	Fair	To be preserved; protected tree
456	Black Oak/ <i>Quercus kelloggii</i>	9"	Good	Good	To be preserved; protected tree
457	California Bay Laurel <i>/Umbellularia californica</i>	4", 6"	Good	Good	To be preserved; protected tree
458	California Bay Laurel <i>/Umbellularia californica</i>	13"	Good	Good	To be preserved; protected tree
459	Valley Oak/ <i>Quercus lobata</i>	14", 18", 26"	Good	Good	To be preserved; may need clearance pruning; protected tree
460	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; protected tree
461	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; protected tree
462	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; protected tree
463	Coast Live Oak/ <i>Quercus agrifolia</i>	14"	Good	Good	To be preserved; protected tree
464	Valley Oak/ <i>Quercus lobata</i>	19"	Good	Good	To be removed for construction; protected tree
465	California Bay Laurel <i>/Umbellularia californica</i>	6"	Good	Good	To be preserved; protected tree
466	Valley Oak/ <i>Quercus lobata</i>	15"	Good	Good	To be preserved; may need clearance pruning; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
467	Coast Live Oak/ <i>Quercus agrifolia</i>	13"	Good	Good	To be preserved; may need clearance pruning; protected tree
468	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be preserved; protected tree
469	Coast Live Oak/ <i>Quercus agrifolia</i>	13"	Good	Good	To be preserved; protected tree
470	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; will need clearance pruning; will be some impact from construction; protected tree
471	Coast Live Oak/ <i>Quercus agrifolia</i>	16"	Good	Fair	To be preserved; protected tree
472	Coast Live Oak/ <i>Quercus agrifolia</i>	10", 15"	Good	Good	To be preserved; protected tree
473	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be removed for construction; protected tree
474	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; protected tree
475	California Bay Laurel <i>/Umbellularia californica</i>	5", 6", 6"	Good	Good	To be preserved; protected tree
476	Valley Oak/ <i>Quercus lobata</i>	8", 9"	Good	Good	To be preserved; protected tree
477	California Bay Laurel <i>/Umbellularia californica</i>	6", 7", 8", 9", 10"	Good	Good	To be preserved; protected tree
478	California Bay Laurel <i>/Umbellularia californica</i>	11"	Good	Good	To be preserved; may need clearance pruning; protected tree
479	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be preserved; may need clearance pruning; protected tree
480	Valley Oak/ <i>Quercus lobata</i>	10"	Good	Good	To be preserved; protected tree
481	Oregon Ash/ <i>Fraxinus latifolia</i>	16"	Good	Good	To be preserved; will need clearance pruning; will be some impact from construction; protected tree
482	Valley Oak/ <i>Quercus lobata</i>	7"	Good	Poor	To be preserved; will need clearance pruning; will be some impact from construction; protected tree
483	Valley Oak/ <i>Quercus lobata</i>	8"	Good	Good	To be removed; protected tree
484	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
485	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be removed; protected tree
486	Valley Oak/ <i>Quercus lobata</i>	10"	Good	Good	To be removed; protected tree
487	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Poor	To be removed; protected tree
488	Valley Oak/ <i>Quercus lobata</i>	23"	Good	Excellent	To be removed; protected tree
489	Oregon Ash/ <i>Fraxinus latifolia</i>	18"	Good	Good	To be preserved; will need clearance pruning; protected tree
490	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; may need clearance pruning; protected tree
491	Coast Live Oak/ <i>Quercus agrifolia</i>	29"	Fair	Poor	To be removed; protected tree
492	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
493	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
494	California Bay Laurel/ <i>Umbellularia californica</i>	5", 5"	Good	Good	To be removed; protected tree
495	Coast Live Oak/ <i>Quercus agrifolia</i>	20"	Good	Fair	To be preserved; will need clearance pruning; protected tree
496	Coast Live Oak/ <i>Quercus agrifolia</i>	14", 19"	Good	Poor	To be removed; protected tree
497	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
498	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Good	To be removed; protected tree
499	California Bay Laurel/ <i>Umbellularia californica</i>	16"	Good	Good	To be removed; protected tree
500	Valley Oak/ <i>Quercus lobata</i>	14", 17"	Good	Good	To be preserved; protected tree
501	California Bay Laurel/ <i>Umbellularia californica</i>	5", 9"	Good	Good	To be removed; protected tree
502	California Bay Laurel/ <i>Umbellularia californica</i>	9", 10", 11"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
503	California Bay Laurel/ <i>Umbellularia californica</i>	7", 8"	Good	Fair	To be removed; protected tree
504	California Bay Laurel/ <i>Umbellularia californica</i>	5", 7"	Fair	Fair	To be removed; protected tree
505	California Bay Laurel/ <i>Umbellularia californica</i>	7", 7"	Good	Good	To be removed; protected tree
506	California Bay Laurel/ <i>Umbellularia californica</i>	9", 18"	Good	Good	To be preserved; protected tree
507	California Bay Laurel/ <i>Umbellularia californica</i>	14"	Good	Good	To be removed; protected tree
508	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Good	To be removed; protected tree
509	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
510	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
511	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
512	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
513	California Bay Laurel/ <i>Umbellularia californica</i>	5, 7, 9"	Good	Good	To be removed; protected tree
514	California Bay Laurel/ <i>Umbellularia californica</i>	6", 8"	Good	Fair	To be removed; protected tree
515	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
516	California Bay Laurel/ <i>Umbellularia californica</i>	7", 7"	Good	Fair	To be removed; protected tree
517	Valley Oak/ <i>Quercus lobata</i>	18"	Good	Excellent	To be removed; protected tree
518	Valley Oak/ <i>Quercus lobata</i>	24"	Good	Good	To be removed; protected tree
519	Coast Live Oak/ <i>Quercus agrifolia</i>	17", 18"	Good	Fair	To be removed; protected tree
520	Coast Live Oak/ <i>Quercus agrifolia</i>	13"	Good	Fair	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
521	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
522	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
523	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be removed; protected tree
524	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
525	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Fair	To be removed; protected tree
526	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Fair	To be removed; protected tree
527	California Bay Laurel/ <i>Umbellularia californica</i>	6", 11", 13"	Good	Good	To be removed; protected tree
528	Coast Live Oak/ <i>Quercus agrifolia</i>	10"	Good	Good	To be removed; protected tree
529	Coast Live Oak/ <i>Quercus agrifolia</i>	33"	Fair	Fair	To be removed; protected tree
530	Valley Oak/ <i>Quercus lobata</i>	12", 18" @ 3'	Good	Good	To be removed; protected tree
531	Black Oak/ <i>Quercus kelloggii</i>	25"	Fair	Poor	To be removed; protected tree
532	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
533	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be preserved; protected tree
534	Valley Oak/ <i>Quercus lobata</i>	8"	Good	Good	To be removed; protected tree
535	Valley Oak/ <i>Quercus lobata</i>	7"	Good	Good	To be removed; protected tree
536	California Bay Laurel/ <i>Umbellularia californica</i>	7", 8", 10"	Good	Good	To be removed; protected tree
537	Coast Live Oak/ <i>Quercus agrifolia</i>	10"	Good	Fair	To be removed; protected tree
538	Valley Oak/ <i>Quercus lobata</i>	25"	Good	Excellent	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
539	Valley Oak/ <i>Quercus lobata</i>	22"	Good	Good	To be removed; protected tree
540	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be removed; protected tree
541	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be removed; protected tree
542	Oregon Ash/ <i>Fraxinus latifolia</i>	23"	Good	Fair	To be removed; protected tree
543	Valley Oak/ <i>Quercus lobata</i>	15", 17", 19"	Fair	Fair	To be preserved; protected tree
544	Valley Oak/ <i>Quercus lobata</i>	9"	Good	Fair	To be removed; protected tree
545	California Bay Laurel/ <i>Umbellularia californica</i>	19" @ 3'	Good	Good	To be preserved; will need clearance pruning; protected tree
546	Valley Oak/ <i>Quercus lobata</i>	31"	Good	Excellent	To be removed; protected tree
547	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Good	To be removed; protected tree
548	Coast Live Oak/ <i>Quercus agrifolia</i>	30"	Good	Fair	To be removed; protected tree
549	Valley Oak/ <i>Quercus lobata</i>	15"	Good	Good	To be removed; protected tree
550	Coast Live Oak/ <i>Quercus agrifolia</i>	16"	Good	Good	To be removed; protected tree
551	California Bay Laurel/ <i>Umbellularia californica</i>	18"	Good	Poor	To be preserved; will need clearance pruning; protected tree
552	California Bay Laurel/ <i>Umbellularia californica</i>	11"	Good	Good	To be removed; protected tree
553	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
554	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Poor	To be removed; protected tree; recently failed no mitigation
555	California Bay Laurel/ <i>Umbellularia californica</i>	7"	Good	Good	To be removed; protected tree
556	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
557	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Poor	To be removed; protected tree
558	Coast Live Oak/ <i>Quercus agrifolia</i>	20", 29"	Failed	Failed	To be removed; protected tree; recently failed no mitigation
559	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
560	California Bay Laurel/ <i>Umbellularia californica</i>	10"	Good	Good	To be removed; protected tree
561	Coast Live Oak/ <i>Quercus agrifolia</i>	8", 14", 32"	Failed	Failed	To be removed; protected tree; recently failed; no mitigation
562	Valley Oak/ <i>Quercus lobata</i>	30"	Excellent	Excellent	To be removed; protected tree
563	Valley Oak/ <i>Quercus lobata</i>	20"	Good	Good	To be removed; protected tree
564	Coast Live Oak/ <i>Quercus agrifolia</i>	35"	Good	Good	To be removed; protected tree
565	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
566	California Bay Laurel/ <i>Umbellularia californica</i>	8"	Good	Fair	To be removed; protected tree
567	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Fair	To be preserved; will need clearance pruning; protected tree
568	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
569	California Bay Laurel/ <i>Umbellularia californica</i>	8", 8"	Good	Good	To be preserved; protected tree
570	California Bay Laurel/ <i>Umbellularia californica</i>	10" @ 3'	Good	Poor	To be preserved; protected tree
571	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be preserved; protected tree
572	California Bay Laurel/ <i>Umbellularia californica</i>	7"	Good	Good	To be removed; protected tree
573	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be preserved; protected tree
574	California Bay Laurel/ <i>Umbellularia californica</i>	6", 7"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
575	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
576	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Good	To be removed; protected tree
577	Valley Oak/ <i>Quercus lobata</i>	19"	Good	Good	To be removed; protected tree
578	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be removed; protected tree
579	Valley Oak/ <i>Quercus lobata</i>	24"	Good	Excellent	To be removed; protected tree
580	Valley Oak/ <i>Quercus lobata</i>	18"	Good	Good	To be preserved; protected tree
581	California Bay Laurel/ <i>Umbellularia californica</i>	4", 6"	Good	Good	To be preserved; protected tree
582	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
583	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
584	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
585	California Bay Laurel/ <i>Umbellularia californica</i>	10"	Good	Good	To be removed; protected tree
586	California Bay Laurel/ <i>Umbellularia californica</i>	6", 8"	Good	Good	To be removed; protected tree
587	Coast Live Oak/ <i>Quercus agrifolia</i>	68"	Good	Good	To be preserved; will require cabling and pruning
588	California Bay Laurel/ <i>Umbellularia californica</i>	7", 8"	Good	Good	To be removed; protected tree
589	California Bay Laurel/ <i>Umbellularia californica</i>	10"	Good	Good	To be removed; protected tree
590	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
591	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
592	California Bay Laurel/ <i>Umbellularia californica</i>	7", 15", 15"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
593	Coast Live Oak/ <i>Quercus agrifolia</i>	12"	Good	Good	To be removed; protected tree
594	California Bay Laurel/ <i>Umbellularia californica</i>	22", 22", 29"	Good	Good	To be removed; protected tree
595	California Bay Laurel/ <i>Umbellularia californica</i>	33"	Good	Failed	To be removed; protected tree; fallen but alive; mitigation?
596	California Bay Laurel/ <i>Umbellularia californica</i>	12", 15"	Good	Good	To be removed; protected tree
597	California Bay Laurel/ <i>Umbellularia californica</i>	6", 6"	Good	Good	To be removed; protected tree
598	California Bay Laurel/ <i>Umbellularia californica</i>	8"	Good	Good	To be removed; protected tree
599	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
600	California Bay Laurel/ <i>Umbellularia californica</i>	6", 9"	Good	Fair	To be removed; protected tree
601	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
602	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
603	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
604	Coast Live Oak/ <i>Quercus agrifolia</i>	13", 15", 25"	Good	Good	To be removed; protected tree
605	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
606	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
607	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
608	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
609	California Bay Laurel/ <i>Umbellularia californica</i>	7" @ 3'	Good	Good	To be removed; protected tree
610	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
611	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
612	California Bay Laurel/ <i>Umbellularia californica</i>	8"	Good	Good	To be removed; protected tree
613	California Bay Laurel/ <i>Umbellularia californica</i>	4", 6"	Good	Good	To be removed; protected tree
614	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be removed; protected tree
615	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
616	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
617	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be removed; protected tree
618	Valley Oak/ <i>Quercus lobata</i>	24"	Poor	Fair	To be preserved; protected tree
619	Coast Live Oak/ <i>Quercus agrifolia</i>	11"	Good	Fair	To be removed; protected tree
620	Valley Oak/ <i>Quercus lobata</i>	47"	Good	Fair	To be preserved; protected tree
621	Willow/ <i>Salix sp.</i>	8"	Good	Poor	To be removed; protected tree
622	California Bay Laurel/ <i>Umbellularia californica</i>	11", 11"	Good	Good	To be removed; protected tree
623	California Bay Laurel/ <i>Umbellularia californica</i>	10"	Good	Good	To be removed; protected tree
624	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be removed; protected tree
625	Big Leaf Maple/ <i>Acer macrophyllum</i>	20"	Good	Fair	To be removed; protected tree
626	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be removed; protected tree
627	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be removed; protected tree
628	California Bay Laurel/ <i>Umbellularia californica</i>	6", 8"	Good	Good	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
629	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be preserved; protected tree
630	California Bay Laurel/ <i>Umbellularia californica</i>	7"	Good	Good	To be preserved; protected tree
631	Oregon Ash/ <i>Fraxinus latifolia</i>	6"	Good	Good	To be removed; protected tree
632	Oregon Ash/ <i>Fraxinus latifolia</i>	19"	Good	Good	To be removed; protected tree
633	Coast Live Oak/ <i>Quercus agrifolia</i>	20"	Good	Poor	To be preserved; will need clearance pruning
634	California Bay Laurel/ <i>Umbellularia californica</i>	5", 7", 8"	Good	Fair	To be preserved; will need clearance pruning; protected tree
635	Douglas Fir/ <i>Pseudotsuga menziesii</i>	7"	Good	Good	To be removed; protected tree
636	Coast Live Oak/ <i>Quercus agrifolia</i>	40", 48"	Good	Fair	To be preserved; will require extensive clearance pruning; may not survive construction and pruning
637	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be removed; protected tree
638	Big Leaf Maple/ <i>Acer macrophyllum</i>	7"	Good	Poor	To be preserved; protected tree
639	Valley Oak/ <i>Quercus lobata</i>	22"	Good	Good	To be preserved; protected tree
640	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be preserved; protected tree
641	Coast Live Oak/ <i>Quercus agrifolia</i>	5", 5"	Good	Good	To be preserved; protected tree
642	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be preserved; protected tree
643	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; protected tree
644	Madrone/ <i>Arbutus menziesii</i>	4"	Good	Good	To be preserved; protected tree
645	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be preserved; protected tree
646	Big Leaf Maple/ <i>Acer macrophyllum</i>	4"	Good	Good	To be preserved; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
647	Big Leaf Maple/ <i>Acer macrophyllum</i>	8"	Good	Good	To be preserved; protected tree
648	Valley Oak/ <i>Quercus lobata</i>	26"	Good	Good	To be preserved; protected tree
649	Douglas Fir/ <i>Pseudotsuga menziesii</i>	6"	Good	Good	To be preserved; protected tree
650	Douglas Fir/ <i>Pseudotsuga menziesii</i>	11"	Good	Good	To be preserved; protected tree
651	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; outside zone of construction impact; protected tree
652	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be preserved; outside zone of construction impact; protected tree
653	California Bay Laurel/ <i>Umbellularia californica</i>	10", 17", 18"	Good	Good	To be preserved; outside zone of construction impact; protected tree
654	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be preserved; outside zone of construction impact; protected tree
655	Coast Live Oak/ <i>Quercus agrifolia</i>	9"	Good	Good	To be preserved; outside zone of construction impact; protected tree
656	Madrone/ <i>Arbutus menziesii</i>	4"	Good	Good	To be preserved; outside zone of construction impact; protected tree
657	Big Leaf Maple/ <i>Acer macrophyllum</i>	4"	Good	Good	To be preserved; outside zone of construction impact; protected tree
658	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Fair	To be preserved; outside zone of construction impact; protected tree
659	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be preserved; outside zone of construction impact; protected tree
660	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be preserved; outside zone of construction impact; protected tree
661	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; outside zone of construction impact; protected tree
662	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be preserved; outside zone of construction impact; protected tree
663	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be preserved; outside zone of construction impact; protected tree
664	Douglas Fir/ <i>Pseudotsuga menziesii</i>	7"	Good	Good	To be preserved; outside zone of construction impact; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
665	Coast Live Oak/ <i>Quercus agrifolia</i>	12"	Good	Good	To be preserved; outside zone of construction impact; protected tree
666	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; outside zone of construction impact; protected tree
667	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; outside zone of construction impact; protected tree
668	Coast Live Oak/ <i>Quercus agrifolia</i>	10"	Good	Good	To be preserved; outside zone of construction impact; protected tree
669	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be preserved; outside zone of construction impact; protected tree
670	Douglas Fir/ <i>Pseudotsuga menziesii</i>	7"	Good	Good	To be preserved; outside zone of construction impact; protected tree
671	California Bay Laurel/ <i>Umbellularia californica</i>	11"	Good	Good	To be preserved; outside zone of construction impact; protected tree
672	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be preserved; outside zone of construction impact; protected tree
673	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be preserved; outside zone of construction impact; protected tree
674	California Bay Laurel/ <i>Umbellularia californica</i>	17"	Good	Good	To be preserved; outside zone of construction impact; protected tree
675	Valley Oak/ <i>Quercus lobata</i>	18"	Good	Good	To be preserved; outside zone of construction impact; protected tree
676	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be preserved; outside zone of construction impact; protected tree
677	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Poor	To be preserved; outside zone of construction impact; protected tree
678	California Bay Laurel/ <i>Umbellularia californica</i>	20"	Good	Good	To be preserved; outside zone of construction impact; protected tree
679	California Bay Laurel/ <i>Umbellularia californica</i>	18"	Good	Good	To be preserved; outside zone of construction impact; protected tree
680	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be removed; protected tree
681	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be preserved; will need clearance pruning
682	Coast Live Oak/ <i>Quercus agrifolia</i>	16"	Good	Good	To be preserved; may need clearance pruning

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
683	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be preserved; outside zone of construction impact
684	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be preserved; outside zone of construction impact
685	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; outside zone of construction impact
686	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be preserved; outside zone of construction impact
687	Coast Live Oak/ <i>Quercus agrifolia</i>	11"	Good	Good	To be preserved; will need clearance pruning
688	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be preserved; may need clearance pruning
689	Valley Oak/ <i>Quercus lobata</i>	32"	Good	Good	To be preserved; outside zone of construction impact
690	Valley Oak/ <i>Quercus lobata</i>	24"	Good	Good	To be preserved; protected tree
691	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
692	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed; protected tree
693	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
694	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
695	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
696	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
697	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
698	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed; protected tree
699	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
700	Coast Live Oak/ <i>Quercus agrifolia</i>	6", 7", 7", 9"	Good	Poor	To be removed; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
701	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
702	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be removed; protected tree
703	Coast Live Oak/ <i>Quercus agrifolia</i>	11"	Good	Good	To be removed; protected tree
704	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be removed; protected tree
705	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Good	To be removed; protected tree
706	Coast Live Oak/ <i>Quercus agrifolia</i>	4", 7"	Good	Fair	To be removed; protected tree
707	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; protected tree
708	Coast Live Oak/ <i>Quercus agrifolia</i>	10" @ 2.5'	Good	Good	To be removed; protected tree
709	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be preserved; protected tree
710	Coast Live Oak/ <i>Quercus agrifolia</i>	7", 8"	Good	Fair	To be preserved; protected tree
711	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Fair	To be preserved; protected tree
712	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be preserved; protected tree
713	Valley Oak/ <i>Quercus lobata</i>	58"	Good	Good	To be preserved; outside zone of construction impact
714	California Bay Laurel/ <i>Umbellularia californica</i>	47" @ 3'	Good	Good	To be preserved; protected tree
715	Valley Oak/ <i>Quercus lobata</i>	26"	Good	Fair	To be preserved; protected tree
716	Valley Oak/ <i>Quercus lobata</i>	29"	Good	Good	To be preserved; outside zone of construction impact
717	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Poor	To be preserved; protected tree
718	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be preserved; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
719	California Bay Laurel/ <i>Umbellularia californica</i>	7"	Good	Good	To be preserved; outside zone of construction impact
720	California Bay Laurel/ <i>Umbellularia californica</i>	4", 6"	Good	Poor	To be preserved; outside zone of construction impact
721	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Poor	To be preserved; outside zone of construction impact
722	California Bay Laurel/ <i>Umbellularia californica</i>	4,5,7,7, 8,9,13"	Good	Good	To be preserved; outside zone of construction impact
723	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact
724	Valley Oak/ <i>Quercus lobata</i>	7"	Good	Good	To be preserved; outside zone of construction impact
725	Valley Oak/ <i>Quercus lobata</i>	9"	Good	Good	To be preserved; outside zone of construction impact
726	Black Oak/ <i>Quercus kelloggii</i>	11"	Good	Fair	To be preserved; outside zone of construction impact
727	Black Oak/ <i>Quercus kelloggii</i>	14"	Good	Good	To be preserved; outside zone of construction impact
728	California Bay Laurel <i>/Umbellularia californica</i>	20" @ 3'	Good	Good	To be preserved; may need clearance pruning
729	Valley Oak/ <i>Quercus lobata</i>	19", 22"	Good	Good	To be removed; protected tree
730	Hybrid Oak/ <i>Quercus x sp.</i>	17"	Good	Fair	To be preserved; outside zone of construction impact
731	California Bay Laurel/ <i>Umbellularia californica</i>	7" @ 3'	Good	Good	To be preserved; outside zone of construction impact
732	Black Oak/ <i>Quercus kelloggii</i>	7"	Good	Good	To be preserved; outside zone of construction impact
733	California Bay Laurel/ <i>Umbellularia californica</i>	6", 11" @ 3'	Good	Good	To be preserved; outside zone of construction impact
734	Hybrid Oak/ <i>Quercus x sp.</i>	10"	Good	Poor	To be preserved; outside zone of construction impact
735	California Bay Laurel/ <i>Umbellularia californica</i>	10"	Good	Good	To be preserved; outside zone of construction impact
736	Black Oak/ <i>Quercus kelloggii</i>	9"	Good	Fair	To be preserved; outside zone of construction impact

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
737	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; outside zone of construction impact
738	Hybrid Oak/ <i>Quercus x sp.</i>	18"	Good	Good	To be preserved; outside zone of construction impact
739	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be preserved; outside zone of construction impact
740	California Bay Laurel/ <i>Umbellularia californica</i>	12" @ 3'	Good	Good	To be preserved; outside zone of construction impact
741	Hybrid Oak/ <i>Quercus x sp.</i>	18"	Good	Good	To be preserved; outside zone of construction impact
742	California Bay Laurel/ <i>Umbellularia californica</i>	29" @ 3'	Good	Good	To be preserved; outside zone of construction impact
743	Valley Oak/ <i>Quercus lobata</i>	23"	Good	Good	To be preserved; outside zone of construction impact
744	California Bay Laurel/ <i>Umbellularia californica</i>	15"	Good	Good	To be preserved; outside zone of construction impact
745	Valley Oak/ <i>Quercus lobata</i>	14"	Poor	Poor	To be preserved; outside zone of construction impact
746	California Bay Laurel/ <i>Umbellularia californica</i>	6", 9"	Good	Good	To be preserved; outside zone of construction impact
747	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; outside zone of construction impact
748	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; outside zone of construction impact
749	Coast Live Oak/ <i>Quercus agrifolia</i>	16"	Good	Good	To be preserved; outside zone of construction impact
750	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact
751	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; outside zone of construction impact
752	Valley Oak/ <i>Quercus lobata</i>	18"	Good	Good	To be preserved; outside zone of construction impact
753	Hybrid Oak/ <i>Quercus x sp.</i>	20"	Good	Good	To be preserved; outside zone of construction impact
754	California Bay Laurel/ <i>Umbellularia californica</i>	7", 9"	Good	Good	To be preserved; outside zone of construction impact

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
755	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Good	To be preserved; outside zone of construction impact
756	Valley Oak/ <i>Quercus lobata</i>	14", 26"	Good	Good	To be preserved; outside zone of construction impact
757	Valley Oak/ <i>Quercus lobata</i>	5"	Good	Good	To be preserved; outside zone of construction impact
758	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; outside zone of construction impact
759	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; outside zone of construction impact
760	California Bay Laurel/ <i>Umbellularia californica</i>	15"	Good	Good	To be preserved; outside zone of construction impact
761	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Good	To be preserved; outside zone of construction impact
762	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Fair	To be preserved; outside zone of construction impact
763	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Poor	To be preserved; outside zone of construction impact
764	Valley Oak/ <i>Quercus lobata</i>	11", 12"	Good	Good	To be preserved; outside zone of construction impact
765	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be preserved; outside zone of construction impact
766	Hybrid Oak/ <i>Quercus x sp.</i>	12"	Good	Good	To be preserved; outside zone of construction impact
767	California Bay Laurel/ <i>Umbellularia californica</i>	8", 8"	Good	Good	To be preserved; outside zone of construction impact
768	California Bay Laurel/ <i>Umbellularia californica</i>	13"	Good	Good	To be preserved; outside zone of construction impact
769	Valley Oak/ <i>Quercus lobata</i>	16", 45"	Good	Good	To be preserved; outside zone of construction impact
770	California Bay Laurel/ <i>Umbellularia californica</i>	7", 9"	Good	Good	To be preserved; outside zone of construction impact
771	California Bay Laurel/ <i>Umbellularia californica</i>	6", 7"	Good	Good	To be preserved; outside zone of construction impact
772	Valley Oak/ <i>Quercus lobata</i>	8"	Good	Good	To be preserved; outside zone of construction impact

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
773	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be preserved; outside zone of construction impact
774	California Bay Laurel/ <i>Umbellularia californica</i>	8"	Good	Good	To be preserved; outside zone of construction impact
775	California Bay Laurel/ <i>Umbellularia californica</i>	7", 8"	Good	Fair	To be preserved; outside zone of construction impact
776	Valley Oak/ <i>Quercus lobata</i>	12", 14"	Good	Fair	To be preserved; outside zone of construction impact
777	Valley Oak/ <i>Quercus lobata</i>	24"	Good	Good	To be preserved; outside zone of construction impact
778	Coast Live Oak/ <i>Quercus agrifolia</i>	17"	Good	Good	To be preserved; outside zone of construction impact
779	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact
780	California Bay Laurel/ <i>Umbellularia californica</i>	10"	Good	Good	To be preserved; outside zone of construction impact
781	Valley Oak/ <i>Quercus lobata</i>	11"	Good	Good	To be preserved; outside zone of construction impact
782	Valley Oak/ <i>Quercus lobata</i>	7"	Good	Good	To be preserved; outside zone of construction impact
783	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be preserved; outside zone of construction impact
784	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Good	To be preserved; outside zone of construction impact
785	Valley Oak/ <i>Quercus lobata</i>	17"	Good	Good	To be preserved; outside zone of construction impact
786	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; outside zone of construction impact
787	Coast Live Oak/ <i>Quercus agrifolia</i>	21" @ 2.5'	Good	Good	To be preserved; outside zone of construction impact
788	Black Oak/ <i>Quercus kelloggii</i>	7"	Good	Good	To be preserved; outside zone of construction impact
789	Black Oak/ <i>Quercus kelloggii</i>	14"	Good	Good	To be preserved; outside zone of construction impact
790	Coast Live Oak/ <i>Quercus agrifolia</i>	14"	Good	Good	To be preserved; outside zone of construction impact

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
791	Oregon Ash/ <i>Fraxinus latifolia</i>	15"	Good	Good	To be preserved; outside zone of construction impact
792	Black Oak/ <i>Quercus kelloggii</i>	32"	Good	Excellent	To be preserved; outside zone of construction impact
793	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be preserved; outside zone of construction impact
794	Valley Oak/ <i>Quercus lobata</i>	24"	Good	Fair	To be preserved; outside zone of construction impact
795	Black Oak/ <i>Quercus kelloggii</i>	24" @ 3'	Good	Fair	To be preserved; will need clearance pruning; protected tree
796	Coast Live Oak/ <i>Quercus agrifolia</i>	9"	Good	Good	To be preserved; outside zone of construction impact
797	California Bay Laurel/ <i>Umbellularia californica</i>	6"	Good	Good	To be preserved; outside zone of construction impact
798	Black Oak/ <i>Quercus kelloggii</i>	22"	Good	Good	To be preserved; outside zone of construction impact
799	Black Oak/ <i>Quercus kelloggii</i>	18", 19"	Good	Fair	To be preserved; outside zone of construction impact
800	Coast Live Oak/ <i>Quercus agrifolia</i>	9"	Good	Good	To be preserved; outside zone of construction impact
801	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be preserved; outside zone of construction impact
802	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; outside zone of construction impact
803	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be preserved; outside zone of construction impact
804	Coast Live Oak/ <i>Quercus agrifolia</i>	4"	Good	Fair	To be preserved; outside zone of construction impact
805	Oregon Ash/ <i>Fraxinus latifolia</i>	9"	Good	Good	To be preserved; protected tree
806	California Bay Laurel/ <i>Umbellularia californica</i>	7"	Good	Good	To be removed; protected tree
807	Black Oak/ <i>Quercus kelloggii</i>	9"	Fair	Poor	To be preserved; protected tree
808	Coast Live Oak/ <i>Quercus agrifolia</i>	7"	Good	Good	To be preserved; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
809	Coast Live Oak/ <i>Quercus agrifolia</i>	19"	Good	Good	To be preserved; may need clearance pruning; protected tree
810	Big Leaf Maple/ <i>Acer macrophyllum</i>	13"	Good	Good	To be preserved; outside zone of construction impact
811	California Bay Laurel/ <i>Umbellularia californica</i>	12"	Good	Good	To be preserved; outside zone of construction impact
812	Black Oak/ <i>Quercus kelloggii</i>	20", 25"	Good	Fair	To be preserved; outside zone of construction impact
813	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be preserved; outside zone of construction impact
814	Valley Oak/ <i>Quercus lobata</i>	12"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
815	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Fair	To be preserved; outside zone of construction impact
816	Big Leaf Maple/ <i>Acer macrophyllum</i>	15"	Good	Good	To be preserved; outside zone of construction impact
817	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be preserved; outside zone of construction impact
818	Big Leaf Maple/ <i>Acer macrophyllum</i>	10"	Good	Good	To be preserved; outside zone of construction impact
819	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact
820	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be preserved; outside zone of construction impact
821	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact
822	California Bay Laurel/ <i>Umbellularia californica</i>	4"	Good	Good	To be preserved; outside zone of construction impact
823	California Bay Laurel/ <i>Umbellularia californica</i>	5"	Good	Good	To be preserved; outside zone of construction impact
824	Valley Oak/ <i>Quercus lobata</i>	20"	Good	Good	To be preserved; outside zone of construction impact
825	Douglas Fir/ <i>Pseudotsuga menziesii</i>	5"	Good	Good	To be preserved; outside zone of construction impact
826	Black Oak/ <i>Quercus kelloggii</i>	33"	Good	Good	To be preserved; outside zone of construction impact

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
827	Big Leaf Maple/ <i>Acer macrophyllum</i>	15"	Good	Good	To be preserved; outside zone of construction impact
828	Oregon Ash/ <i>Fraxinus latifolia</i>	15"	Good	Good	To be preserved; outside zone of construction impact
829	California Bay Laurel/ <i>Umbellularia californica</i>	4", 4", 5"	Good	Good	To be preserved; outside zone of construction impact
830	Big Leaf Maple/ <i>Acer macrophyllum</i>	17"	Good	Fair	To be preserved; will need clearance pruning; minimize grading within rootzone
831	Coast Live Oak/ <i>Quercus agrifolia</i>	8"	Good	Good	To be preserved; outside zone of construction impact
832	Black Oak/ <i>Quercus kelloggii</i>	17"	Good	Good	To be preserved; may need clearance pruning; protected tree
833	California Bay Laurel/ <i>Umbellularia californica</i>	8" @ 3'	Good	Fair	To be preserved; outside zone of construction impact
834	Valley Oak/ <i>Quercus lobata</i>	17", 21"	Good	Fair	To be preserved; outside zone of construction impact
835	California Bay Laurel/ <i>Umbellularia californica</i>	10"	Good	Good	To be preserved; outside zone of construction impact
836	Valley Oak/ <i>Quercus lobata</i>	15"	Good	Good	To be preserved; may need clearance pruning; protected tree
837	Coast Live Oak/ <i>Quercus agrifolia</i>	21"	Good	Good	To be preserved; outside zone of construction impact
838	Coast Live Oak/ <i>Quercus agrifolia</i>	12"	Good	Good	To be preserved; may need clearance pruning
839	Coast Live Oak/ <i>Quercus agrifolia</i>	16"	Good	Fair	To be preserved; outside zone of construction impact
840	Coast Live Oak/ <i>Quercus agrifolia</i>	5"	Good	Good	To be preserved; outside zone of construction impact
841	Coast Live Oak/ <i>Quercus agrifolia</i>	6"	Good	Good	To be preserved; outside zone of construction impact
842	Coast Live Oak/ <i>Quercus agrifolia</i>	12"	Good	Good	To be preserved; outside zone of construction impact
843	California Bay Laurel/ <i>Umbellularia californica</i>	21"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
844	California Bay Laurel/ <i>Umbellularia californica</i>	9", 9"	Good	Fair	To be preserved; protected tree

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
845	Coast Live Oak/ <i>Quercus agrifolia</i>	11"			To be preserved; protected tree; will need clearance pruning
846	Big Leaf Maple/ <i>Acer macrophyllum</i>	28"	Good	Fair	To be preserved; protected tree; will require clearance pruning and hazard reduction pruning
847	Coast Live Oak/ <i>Quercus agrifolia</i>	12"	Good	Good	To be preserved; outside zone of construction impact
848	Valley Oak/ <i>Quercus lobata</i>	15"	Good	Good	To be preserved; outside zone of construction impact
849	Valley Oak/ <i>Quercus lobata</i>	13"	Good	Good	To be preserved; outside zone of construction impact
850	Black Oak/ <i>Quercus kelloggii</i>	21", 32"	Good	Good	To be preserved; outside zone of construction impact
851	Douglas Fir/ <i>Pseudotsuga menziesii</i>	14"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
852	Valley Oak/ <i>Quercus lobata</i>	16"	Good	Good	To be preserved; will need clearance pruning; minimize grading within rootzone
853	California Bay Laurel/ <i>Umbellularia californica</i>	8"	Good	Good	To be preserved; may need clearance pruning
854	California Bay Laurel/ <i>Umbellularia californica</i>	14"	Good	Good	To be preserved; will need clearance pruning; some root loss
855	California Bay Laurel/ <i>Umbellularia californica</i>	9"	Good	Fair	To be preserved; may need clearance pruning
856	Coast Live Oak/ <i>Quercus agrifolia</i>	31"	Fair	Poor	To be preserved; may need clearance pruning; assess condition at time of construction
857	Valley Oak/ <i>Quercus lobata</i>	23"	Good	Good	To be preserved; may need clearance pruning
858	Valley Oak/ <i>Quercus lobata</i>	21"	Good	Good	To be removed; protected tree
859	Valley Oak/ <i>Quercus lobata</i>	36"	Good	Good	To be preserved; half of tree is dead, good habitat; minimize grading within rootzone
860	Valley Oak/ <i>Quercus lobata</i>	10"	Good	Good	To be preserved; outside zone of construction impact
861	Valley Oak/ <i>Quercus lobata</i>	14"	Good	Good	To be preserved; outside zone of construction impact
862	Valley Oak/ <i>Quercus lobata</i>	18", 25"	Good	Good	To be preserved; outside zone of construction impact

ELNOKA CCRC - SANTA ROSA

TREE #	SPECIES	DIAMETER (In.)	GEN.HEALTH CONDITION	STRUCTURE	CONSTRUCTION IMPACT/RECOMMENDATIONS
863	Valley Oak/ <i>Quercus lobata</i>	15" @ 3'	Good	Good	To be preserved; may need clearance pruning; minimize grading within rootzone
864	Valley Oak/ <i>Quercus lobata</i>	37" @ 3'	Good	Good	To be preserved; may need clearance pruning; minimize grading within rootzone
865	Black Walnut/ <i>Juglans nigra</i>	38"	Fair	Poor	To be preserved; may need clearance pruning; minimize grading within rootzone
866	Monterey Pine/ <i>Pinus radiata</i>	18"	Fair	Good	To be preserved; not a protected tree; may be dying, reassess