


UNDERFLOOR DRAINAGE PLAN



City of
SANTA ROSA
Planning & Economic
Development - Building Division

LAST UPDATED: 09 JUNE 2021

THIS DRAWING DEPICTS MINIMUM CODE REQUIREMENTS PER THE 2019 CALIFORNIA CODE CYCLE - INFORMATION IS FOR REFERENCE ONLY AND IS NOT A SUBSTITUTE FOR ACCURATE DRAWINGS PREPARED FOR EACH PROPOSED CONSTRUCTION PROJECT



OUTFALL OPTION 1:
ROCK FILLED OR OTHER APPROVED DRAINAGE OUTFALL ABOVE GRADE ON PROPERTY, THEN DRAINING TO STREET OR APPROVED DRAINAGE STRUCTURE (NOT OVER PUBLIC WAY SUCH AS A SIDEWALK)

OUTFALL OPTION 2:
IF GRAVITY FLOW TO DISCHARGE IS NOT FEASIBLE, PROVIDE PUMP SYSTEM TO DISCHARGE TO GRADE SIMILAR TO OPTION 1 - SPECIFY PUMP SIZE & ELECTRICAL CONNECTIONS ON THE PLANS, & PROVIDE MANUFACTURER'S SPECIFICATIONS FOR THE PUMP

FOUNDATION PLAN

